STATE OF VERMONT - DEPT. OF ENVIRONMENTAL CONSERVATION

Water Supply Division, 103 So. Main St., Waterbury, VT 05671-0403

Tel. (802) 241-3400

WELL COMPLETION REPORT

WELL LOCKETON	n					WELL TAG No	. 12772	
WELL LOCATION Well Owner or Purchases	r Lui Am	Com Mc		Γown:	for	· Com	(Fill In Number from Tag)	
911 Address: Second	as House	1 Heel	9	Subdivision Na	me:	***************************************		
WELL LOCATION Well Owner or Purchaser 911 Address:	return 6%	8 36 7 C	I	Lot Number:				
GEOGRAPHIC LOCA								
A. GPS Location:	N		W					
A. Gra Location	Latitude Rdg.	Longitude Rdg	- (OR)	GPS Make/Model		# of Satellites Used (M	fin. 3)	
B. Attach a Town N	Map showing locati	on of well marke	d with a cl	ear dot.				
WELL TYPE (Check O T Bedrock	ne)	WELL USE (Cl	neck one)			SON FOR WELL (New Supply	Check one)	
☐ Gravel		☐ Public				Replace Existing Sup		
☐ Monitoring		☐ Agricultura	1			Deepen Existing Sup	bli.	
Other:		☐ Industrial				Additional Supply		
		Other:				Test/Exploration		
WELL CONSTRUCTION	ON INFORMATIO	ON			J	Other:		
DEPTHS 22	CASING	77	LINER C	OR INNER CA	SING	SCREEN DETA	ILS	
DEPTHS To Bedrock ft	CASING Total Length	<u>_f</u> t	Total Len	gth:	ft.	Make/Type:		
Total: ft.	Casing Exposed:	in.		Liner Top:		Material:		
	Diameter:Material:	in.	Diameter	ininib/ft		Diameter:	_ in.	
SEALING METHOD	Material:	11 /6	Material:	11. /6:		Depth to Screen		
Drive Shoe	Weight: 19	lb/ft	Weight:	lb/it		Slot Size		
☐ Grouted Grout Type:			sear type):	-	Gravel Pack (Typ	be & Size):	
Grout Type	_							
YIELD TEST	16			WELL	LOG			
YIELD TEST Tested for hr. @ GPM						Formation Information and		
Static Water Level Ft. Below Land Surface		ırface	12		Water Bearing Fractures			
(Check Here if Overflowing		CD1 (9 49		FI.	Water Bearing Fractures Field ground Clary With gland pane		
☐ Hydrofractured. Resu	ilting flow=	. GPM	72	2/2	Edward.	on transfile	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
WELL DRILLER INFO	ODMATION		2 1 de	280	13. E. F.	Tr Medical	plucks	
WELL DRILLER INFO	UKWATION		250	500	60-1	each Becher	<u> </u>	
Drilled By:	54780 (B)	y (700	304	e.	the support		
1/ 11 7-	5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Profession .	509	377	7	Enough Chedri		
Company:	Lic#	:						
-Juan 1	Part Con							
Signature of Qualifying I	Individual		9/2 -	m 7 20	CO	MMENTS	1646,79	
circ	EVETCH (Ontions	1)	CAB *	500		C.	CIP I	
SHES	SKETCH (Optiona	1)	water to be the same	med in	- 6			
	- Jam Jest	references.						
150	Frank							
17. 195.	1							
and the	and the second second second							
Company to the second			***************************************					
	and an experience that the confidence is to confidence and the confidence of the con	A STATE OF THE STA						

Les + Marlyn Weiss 5/4-989-1035 Stawe Casing 40 ft

1/10 sugar Hours Hill

mt well

H.A. MANOSH CORP. DRILLING AGREEMENT

This agreement, made this 30 day of Sapat	, 19 97 between H.A. MANOSH CORP of Morris III. Vermo
hereafter called Contractor, and	, 19 99, between H.A. MANOSH CORP. of Morrisy Ile, Vermoi
The parties agree as follows:	
1. COLTRACTORS OBLIGATIONS. The Contractor will dr	ill upon Owner's property in the State of
County of Lawille and Town of School av	vell for water at a location associable to both a set
2. PRICE. The price paid to the contractor will be as follow	
Drilling Price \$	per foot
*GUARANTEED DRILLING PRICE \$_ Casing Price \$	12,00 per foot.
Well Cap & Driveshoe \$_	per foot,
"A GNARANTEED PRICE WELL will not exceed charges f	or drilling feet beyond the end of the dising. If
with a state is totally blint to this boild. Owner will bay	for actual footage drilled. The minimum yield of the well at to drill deeper, hydro-fracture, etc. at his expense if 720
gallens per day is not encountered there is no charge to	the Owner.
3. MIN MUM CHARGE. There will be a minimum charge f	or 100 feet of drilling.
4. BINGER. Owner has paid to the Contractor \$	Upon execution of this agraement which
applied pwards the cost of drilling or minimum charge.	apon execution of this agreement, which sum shall be
5. INSURANCE, Contractor will maintain Workmen's Com	pensation Insurance on its employees in accordan a with
state of y Emitts, and I done Liability Coverage of \$	100,000, \$300,000 Bodily Injury and \$100,000 Proparty Damage
6. LIABILITY FOR DAMAGE. Contractor shall not be liable.	for any damage to Owner's property necessary an incidental
3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	·
7. GUARANTEE. Contractor guarantees to use proper new	materials and to do the drilling in a good and wor manlike
does not guarantee the quantity or quality of water, except f	thy the Contractor to sumply well as a 141 of 186 of
B. OBLEGATION OF THE OWNER OF ALL THE	
previous payments. In case of late payment, interest will be	added at the rate of 1 1/2 % per month. All costs of collection
including court costs aperattorney fees shall be paid by the coreparation, drill rig access to and from drill site, flowing we	added at the rate of 1 1/2 % per month, All costs of collection owner. Engineering, permits & fees, boundary lines, site list, and abandonment of wells are the Owner's responsibility.
the state of the s	is, and abandonment of wells are the Owner's responsibility
The trial of the second that the date set to commence	ent date will be Zusele. If Contractor is not on jo
Contractor and Contractor shall return all monies previously	paid by the Owner.
A MAROOU CODE	
I.A. MANOSH CORP.	100
sv. sonnes Hol	Marlyn Weigh
RD 1, Box 690	OWNER OWNER
Morrisvillo, VT 05661	1 wood are west mount
802) 888 5722	7
↑ VT 1-8¢0-544-7666	Que montreal H72305
·	Telephone: 514 989-103
	314 4X4~10~\

	# 1344/	wood and	e West	14323C5
WELL J. M	<i>y</i>	ue mo	ntial	H323C5
WELL Les + Ma	Name	Mai	ling Address	514-989-1030
WELL DRILLER Dean			J	
ľ	Name	Mail	ling Address	3
PROPOSED USE OR USI	parties of the same of the sam			🗖
Domestic Agn Other (Specify use):		Establishment	∐ Mun	icipal
Street (Specify use).	THE PROPERTY OF THE PROPERTY O			WATER LEVEL
	CASING DETAILS (Inside)	YIELD TI	EST	(From land surface if possible)
New Well	8,00	☐ Bailed		
	8,00 " Length: 40'7" Feet	or Pumped	Hours	StaticFeet
Replacement Well	Diameter:Inches	or	GPM	During Yield
	Diameter:Inches	Compressed Air		Test:Feet
Set-Over	Kind:	1 HR Blow text		DRILLING EQUIPMENT Cable Tool
Existing Well	Killa.			Rotary
	Weight: lbs./p/ft.	/ HR Blow text		☐ Air Percussion
	□ New □ Used	Yield: 1/2	• GPM	
TOTAL DEPTH OF WELL			AND DESCRIPTION OF THE PERSON	U Other (Specify) ED IN: Stowe
THO X / 2000	L 349 FEET			on on reverse side of sheet.)
349	- WELL	LOG —		
Depth From Ground Surface	Give description of formation pan, shale, limestone, gran medium, coarse) color of manuale; 0 ft. to 27 ft. fine, pa	ite, etc. Include si aterial, structure (ize of gravel loose, packe	(diameter) and sand (fine, d, cemented, hard). For ex-
0 ft. to 10 ft.	Fill - Granel -	- clay - 100	gs	
10 ft. to 32 ft.	Wet hand gan	300	- 304 -	Sepruish Ats
32 ft. to 2/2 ft.	Dark Gray Bede	ml 304	-349 -	Gay Bedenh
2/2 ft. to 230 ft.	Softer " "	work Notes		
230 ft. to 300 ft.	Cray Bedirch	_		
DATE WELL STARTED /	16-5-99 D	ATE WELL COM	APLETED !	10-6-99
Bits Used #				ily Footage
#	_			
#	_	-		
#				
8" Bit	_	la e		
ORILLER'S HOURS	12/2_	HEI DEDIG TO	TIDO A	13 Roberts
	,	HELPER'S HOU	UKS	100
IEWS & CITIZEN, INC.	Ň.			(1) 7 m